



4022, 4025A, BOP-1000, TW-5W, TW-7W, WP-1 Interconnects and Splitters

Features

4022

1 x 2 25 pair, 50-pin passive splitter. Used to interconnect two 800 Series master stations or 4000 Series IFB system control panels.

4025A

1 x 4 25 pair, 50-pin passive splitter. Used to connect multiple 800 Series master stations or 4000 Series IFB systems control panels.

BOP-1000

Black 19" blank mounting rack. Required for mounting: TW-7W

TW-5W

1 x 5 Two channel 3-pin XLR type Passive Splitter. Features a rugged metal box for portable floor interconnect.

TW-7W

One female XLR-3 into seven male XLR-3 out (½ rack wide)

WP-1

Single Channel Wall Plate-Male XLR-3 type connector.

Line Drawing

4022 4025A BOP-1000 TW-5W TW-7W WP-1



Interconnects and Splitters Specifications

4022

1 x 2 25 pair, 50-pin passive splitter. Used to interconnect two 800 Series master stations or 4000 Series IFB system control panels.

4025A

1 x 4 25 pair, 50-pin passive splitter. Used to connect multiple 800 Series master stations or 4000 Series IFB systems control panels.

BOP-1000

Black 19" blank mounting rack. Required for mounting TW-7W

TW-5W

1 x 5 Two channel 3-pin XLR type Passive Splitter. Features a rugged metal box for portable floor interconnect.

TW-7W

One female XLR-3 into seven male XLR-3 out (½ rack wide)

WP-1

Single Channel Wall Plate-Male XLR-3 type connector.

Ordering Information

4022 • 1x2 25 pair, 50 pin passive splitter • Catalog Number: 9000466200

4025 A • 1x4 50 pin passive splitter • Catalog Number: 90004660000

BOP-1000 • 19" blank mounting frame • Catalog Number: 90027428000

TW-5W • 1x5 two channel 3 pin XLR type passive splitter • Catalog Number: 9000322400

TW-7W • One female XLR-3 into seven male XLR-3 out • Catalog Number: 90027428004

WP-1 • Wall plate, 3 pin XLR • Catalog Number: 96136000

This specifications information is preliminary and is subject to change without notification.

Brand names mentioned are the property of their respective companies.